From: Commanding Officer, U.S.S. LEYTE (CV-32) To:

Via:

Chief of Naval Operations

(1) Commander Carrier Division ONE (2) Commander Seventh Fleet

(3) Commander Naval Forces, Far East

(4) Commander in Chief, U.S. Pacific Fleet

8 JAN 1951

Narrative Report of Action for the period 1 December 1950 Subj: through 26 December 1950

Ref:

DOWNGRADED AT 3 YEAR INTERWALSE (a) CNO ltr OP-345/aa ser 1197P34 of 3 Aug 1950 DECLASSIFIED AFTER 12 YEARS (b) U.S.S. LEYTE ser 092A of 9 Nov 1950 DOD DIR 5200.10

(c) U.S.S. LEYTE ser 0121 of 18 Dec 1950

(d) U.S.S. LEYTE Action Reports "277 through 438 of Dec 1950

1. The U.S.S. LEYTE (CV-32) Narrative Report of Action is forwarded herewith in accordance with reference (a).

PART I

COMPOSITION OF FORCES AND MISSIONS

U.S.S. LEYTE (CV-32) a unit of Task Force 77 was operating in the Sea of Japan, OTC was Rear Admiral E.C. EWEN , U. S. Navy, & TF-77 (ComCarDivONE) in U.S.S. PHILIPPINE SEA (CV-47). (Com7thFleet) in U.S.S. WISSOURI, (Com-CardivTHREE) (CTG 77.3) in U.S.S. VALLEY FORGE (CV-45). U.S.S. JUNEAU (CLAA-119), ComDesRon 11 in the U.S.S. WILTSIE (DD-716), U.S.S. ROWAN (DD-702), U.S.S. LOFBERG (DD-759), U.S.S. MOORE (DD-747), U.S.S. MADDOX (DD-731), U.S.S. CHANDLER (DD-717), U.S.S. GURKE (DD-783), U.S.S. KERPLER (DDE-765), ComDes-Ron 2 in the U.S.S. BERRY (DDE-858), U.S.S. CAFFERTY (DD-850), U.S.S. HENDER-SON (DD-785), U.S.S. ISBELL (DD-869), U.S.S. STICKWELL (DD-888), and U.S.S. BRINKLEY BASS (DD-887).

The U.S.S. LEYTE conducted operations in accordance with ComCarDivONE's Op-Order 3-50 and daily dispatch air operations plans. The mission was to support United Nations Forces in Northern Korea and to furnish defensive combat air patrol and anti-submarine patrol for DF-77. During the month of December, Air Group THREE was committed primarily to close air support missions in the Chosin Reservoir and Hungnam Area.

> RECEIVED OPNAV DE77 CENTRAL MAIL SECTION JAN 221951 Reg. No. __ Copy No. . Routed to .

di train facol formitaling

PART II

(a) Total sorties for December 1950:

Sorties over Korea
Sorties over TF-77

Total hours flown

Total days operations
Days on which air operations conducted

1124

781
343

3210.9 hrs.

CHRONOLOGICAL ORDER OF EVENTS

- (b) 12/1/50: Continued maximum effort close support missions in the Chosin Reservoir Area. This was the second day of maximum effort close support missions in this area in support of ground troops encircled by Chinese Communist Troops. During instrument flight operations along route to and snow storms in the action area 22 sorties including night sorties were flown.
 - 12/2/50: Continued maximum effort close support missions in the Chosin Reservoir Area. Close Support provided for First Marine Division under mass attack by Chinese Communist Troops. Continued support flights until 2038I with night intruder aircraft. 61 sorties were flown.
 - 12/3/50: Continued maximum effort close support missions in the Chosin Reservoir Area. Close support provided directly to First Marine Division. 36 Napalm Bombs were expended on two parallel ridges 12 miles long cremating Chinese Communist Troops holding these highly strategic high positions along the only usable route to Hamhung. 69 sorties were flown.
 - 12/4/50: Continued maximum effort close support missions in the Chosin Reservoir, (Koto-Ri) Area. F4U4, BUNO. 97231 crashed in Koto-Ri Area behind enemy lines. Crash was caused by enemy anti-aircraft hits. Pilot Ensign Jesse L. BROWN, 504477, U. S. Navy sustained severe injuries and was unable to extricate himself from aircraft. LTJG T.J. HUDNER, Jr., 485270, U.S. Navy, landed his F4U4, BUNO. 82050 wheels up nearby and endeavored to remove Jesse BROWN who was pinned in the wreckage. HUMNER and rescue helicopter pilot were unable to remove BROWN.

DECLASSIFIED

Ensign Jesse L. BROWN died of his injuries. His body was not recovered. LTJG HUDNER was returned to this ship. 77 sorties were flown.

- 12/5/50: In company with U.S.S. MISSOURI (BB-63) and U.S.S. JUNEAU (CLAA-119) spent entire day in logistics area replenishing. Received 344,652 gallons of fuel oil; 125,000 gallons of aviation gasoline; 205 tons of amountion.
- 12/6/50: Rejoined TF-77. Recommended close support missions over Chosin Reservoir Area at 0430I with Night Intruder Missions using Mark 6 flares to illuminate enemy troop concentrations. 67 sorties were flown.
- 12/7/50: Commenced flight operations with jet TARCAP over Chosin Reservoir and continued maximum effort close air support missions throughout the day. 72 sorties were flown.
- 12/8/50: In company with U.S.S. PRINCETON (CV-37) replenished in logistics area. Received 25,296 gallons of fuel oil; 63,156 gallons of aviation gasoline and 75 tons of ammunition.
- 12/9/50: Continued with maximum effort close support missions covering withdrawal of First Marine Division from Chosin Reservoir to Hamhung. 82 sorties were flown.
- 12/10/50: Continued maximum effort close support missions covering final stages of First Marine Division's withdrawal to Hamhung. 61 sorties were flown.
- 12/11/50: In logistics support area. Replenished 117,411 gallons of fuel oil, 68,194 gallons aviation gasoline, 120 tons of ammunition and 99 tons of Fresh, frozen and dry provisions.
- 12/12/50: Strike flights were directed against Huichon, Kanggye and wonsan, with close support missions in the Omyonbo, Song-jin and Pujun-Ni areas. AD4, BUNO. 123883 hit a high tension wire and crashed in Korea behind enemy lines. Pilot LCDR R.M. BAGWELL, 85753, U. S. Navy, Squadron Commander of VA-35 of CVG-3 was captured by enemy troops and is missing in action. 81 sorties were flown.
- 12/13/50: Strike flights were flown in Kilchu and Tokchon areas.
 Highly effective close support missions were flown in support of troops holding the perimeter at Hamhung. 87 sorties were flown.

DECLASSIFIED

- 12/14/50: Continued close support of troops holding perimeter at Hamhung. Strikes were directed into Fusen Reservoir area against Chinese Red Troops and troop replacements moving into Hamhung area. 56 sorties were flown.
- 12/15/50: Replenished in the logistics area. Received 322,036 gallons of fuel oil, 151,008 gallons of aviation gasoline, 38 tons of ammunition, 37 tons of provisions.
- 12/16/50: Conducted strikes and night intruder missions in the Fusen Reservoir Area. Encountered adverse weather conditions over target. 18 sorties were flown.
- 12/17/50: Commenced close support missions in Hungnam sea port area in support of troops covering evacuation operations. 53 sorties were flown.
- 12/18/50: Delivered 99,832 gallons of fuel oil to U.S.S. HIGBEE (DDR-806).
- 12/19/50: Replenished all day. Received 224,154 gallons of fuel oil, 44,987 gallons of aviation gasoline, and 84 tons of ammunition.
- 12/20/50: Close support missions and TARCAP covered the Hungman area. Strikes were directed against the Toejo area. 74 sorties were flown.
- 12/21/50: Close support missions covered Hungnam perimeter and gun fire spotters flew missions in coordination with surface naval units in the same area. 77 sorties were flown.
- 12/22/50: Replenished at sea. Received 126,789 gallons of fuel oil, 70,770 gallons of aviation gasoline and 75 tons of ammunition.
- 12/23/50: Close Support missions covered Hungnam perimeter and gun fire spotters flew missions in coordination with surface units in the same area. 74 sorties were flown.
- 12/24/50: Close support missions covered Hungnam perimeter and gun fire spotters flew missions in coordination with surface naval units in the same area. Deep support missions were directed at targets in the Punghori, Chosin Reservoir and Hagaruri areas. 71 sorties were flown.
- 12/26/50: Enroute from Strike area to Sasebo, Japan. 1053I moored to bouy #19Sasebo-Ko, Japan.

(c) CHRONOLOGICAL SUMMARY OF CLOSE AIR SUPPORT MISSIONS FOR DECEMBER 1950

DECLASSIFIE	DATE	CAS MISSION	AIRCRAFT EMPLOYED	LOCATION	TARGETS HIT
DEPLYSOUR	12/1	33	6	Kunu-Ri	Troop concentrations
	12/1	34	8	Kunu-Ri	Troop concentrations
•	12/2	35	4	Chosen Reservoir	Troops
	12/2	36	2	Chosen Reservoir	Troops
	12/2	37	2	Chosen Reservoir	Troops
	12/2	38	4	Chosen Reservoir	Troops
	12/2	39	7	Chosen Reservoir	Bivuoac area
	12/2	40	4	Chosen Reservoir	Troops
	12/3	41	8	Chosen Reservoir	Troop emplacements
•	12/3	42	2	Chosen Reservoir	Troops, ridges
	12/3	43	4	Chosen Reserveir	Troops, emplacements
	12/3	44	6	Chosen Reservoir	Troops, emplacements
• / -	12/3	45	4	Chosen Reservoir	Troops, emplacements
	12/3	46	7	Chosen Reservoir	Troops, emplacements
	12/3	47	2	Chosen Reservoir	Troops; emplacements
	12/3	48	4	Chosen Reservoir	Troops, emplacements
	12/4	49	4	North of Chosen Res.	Troops, emplacements
	12/4	50	8	Chosen Reservoir	Troops, emplacements
	12/4	51 52	5	Chosen Reservoir	Troops, emplacements
	12/4	52	4	Chosen Reservoir	Troops
	12/4	53	4	Chosen Reservoir	Troops
A	12/4	54	4	Chosen Reservoir	Troops, emplacements
	12/4	55	4	Chosen Reservoir	Troops
	12/4	56	5 3	Chosen Reservoir	Troops
	12/4	57	3	Chosen Reservoir	Troops, emplacements, buildings
	12/4	58	10	Chosen Reservoir	Troops, buildings
	12/4	59	7	Chosen Reservoir	Troops
	12/4	60	4	Chosen Reservoir	Troops
	12/6	61	8	Chosen Reservoir	Troops
	12/6	62	5	Chosen Reservoir	Troops
	12/6	63		Chosen Reservoir	Troops
	12/6	64	2	Chosen Reservoir	Truck
	12/6	65 66	3	Chosen Reservoir	Troops
	12/6	66	4	Chosen Reservoir	Troops
	12/6	67	4	Chosen Reservoir	Troops
. 1	12/6	68	4	Chosen Reservoir	Troops
	12/6	69	5	Chosen Reservoir	Troops, gun emplacement
	12/6	7 0	2	Chosen Reservoir	Troops .
	12/7	71	5	Chosen Reservoir	Troops, emplacements
	12/7	. 72	11	Chosen Reservoir	Troops, emplacements
$\mathcal{L}_{\mathcal{A}} = \{ \mathbf{r}_{\mathcal{A}} \in \mathcal{A} \mid \mathbf{r}_{\mathcal{A}} \in \mathcal{A} \mid \mathbf{r}_{\mathcal{A}} \in \mathcal{A} \}$	12/7	73	11	Chosen Reservoir	Troops, emplacements

en e		AS LISSION	AIRCRAFT EMPLOYED	LOCATION	TARGETS HIT
DECLASSIFIED	2/7	74	10	Chosen Reservoir	Troops complete
DECEMBER 12011 ILD12	2/7	75	6	Chosen Reservoir	Troops, emplacements Troops, emplacements
12	2/7	76	8	Chosen Reservoir	Troops, emplacements, buildings
	2/7	77	4	Chosen Reservoir	Troops, emplacements, buildings
	2/9	78	12	Chosen Reservoir	Troops, emplacements, buildings
	/9	7 9	8	Chosen Reservoir	Railroad trestle, troc
	/9	80	3	Chosen Reservoir	Troops
	/9	81	5	Chosen Reservoir	Troops
	/9	82	6	Chosen Reservoir	Troops
	/10	83	7	Chosen Reservoir	Troops
	/11	84	4	Chosen Reservoir	Troops, emplacements
	/11	85	6	Chosen Reservoir	Troops, emplacements
	/11	86	2	Chosen Reservoir	Troops emplacements
12	/11	87	4	Chosen Reservoir	Troops, emplacements
	/11	88	4	Chosen Reservoir	Troops, emplacements
	/11	89	3	Chosen Reservoir	Troops, emplacements
12,	/11	90	2	Chosen Reservoir	Troops, emplacements
	/12	91	8	Chosen Reservoir	Troops, buildings, trucks
	/12	92	12	Chosen Reservoir	Troops, buildings, trucks
	/12	93	17	Chosen Reservoir	Troops, buildings, trucks
	/12	94	2	Chosen Reservoir	Troops, buildings, trucks
	/12	95	2	Chosen Reservoir	Troops, buildings, trucks
	/13	96	8	Chosen Reservoir	Troops, emplacements
12/		97	10	Hungnam	Troops, emplacements
12/	4	98	9	Hungnam	Troops, emplacements
		99	4	Hungnam	Troops, emplacements
		100		Hagaru-Ri	Troops, emplacements
12/		101	4	Chosen Reservoir	Troops, emplacements
12/		102		Chosen Reservoir	Troops, emplacements
12/		103	10	Chosen Reservoir	Troops, emplacements
12/		104		Chosen Reservoir	Troops
12/		105		Chosen Reservoir	Troops
12/		106		Chuhari	Troops, emplacements
12/		107		Chuhari	Troops, emplacements
12/	T7 ·	108	8	Koto-Ri	Troops, emplacements

DECLASSIFIED

. i	DATE	CAS MISSION	AIRCRAFT EMPLOYED	LOCATION	TARGETS HIT
	12/17	109	6	Koto-Ri	Troops, emplacements
	12/17	110	10	Koto-Ri	Troops, emplacements
	12/20	111	12	Hungnam	Troops, buildings
	12/20	112	5	Hungnam	Troops, buildings
	12/20	113	4	Hungnam	Troops, buildings
	12/20	114	6	Hungnam	Troops, buildings
	12/20	115	6	Hungnam	Troops, buildings
	12/21	116	9	Hungnam	Troops, buildings,
;					trenches
	12/21	117	6	Hungnam	Troops, buildings,
					trenches
	12/21	118	6	Hungnam	Troops, buildings,
		•			trenches
	12/21	119	3	Hungham	Troops, buildings,
•	/	1			trenches
	12/21	120	5	Hungnam	Troops buildings,
		21.21	· · · · · · · · · · · · · · · · · · ·		trenches
	12/21	121	6	Hungham	Troops, buildings,
	/	_ \			trenches
	12/21	122	4	Hungnam	Troops, buildings,
	4 o /an				trenches
	12/21	1.23	4	Chosen Reservoir	Troops, buildings,
	30 /03		_		trenches
	12/21	124	2	Chosen Reservoir	Troops, buildings,
	20/00				trenches
	12/23	125	6	Yonpo Airfield	Troops, emplacements,
	tio /ooi	301	- 1		supplies
	12/23	126	3	Yonpo Airfield	Troops, emplacements,
	10/00	708			su pplies
	12/23	127	6	Yonpo Airfield	Troops, emplacements,
٠.	10/02	100	•	5.	supplies
	12/23 12/23	128 129	4	Chosen Reservoir	Troops
, ,	12/23	130	4	Yonpo Airfield	Fuel storage piles
	12/24	131	6 1 6	Chosen Reservoir	Troops, buildings
	12/24	132	5	Chosen Reservoir	Troops, buildings
	12/24	133	5	Chosen Reservoir	Troops, buildings
;	12/24	134	4	Chosen Reservoir Hambung	Troops, buildings
•	-~/ ~~ (4	nominate	ATLITETO

PART III

PERFORMANCE OF ORDNANCE MATERIAL AND EQUIPMENT

(a) Ordnamoe expended during the period 1 December to 26 December 1950:

TYPE			QUAN TITY
Bombs:	100# FRAG 220# FRAG 350 ADB 500# GP 2000# GP		1,496 360 2 63 6
			TOTAL 1,927 bombs
Rockets	3.5" AR 5" HVAR 11.75" "Tiny 1	l'ims#	20 2,183 4 TOTAL 2,207
Machine	Gun Ammunition: .50 cal. 20 MM		317,230 pounds 24,875 rounds TOTAL 368,940 rounds
Napalm:	Mk-5 and MK-12	(6% mixture)	721 TOTAL 46,144# Napalm
Flares:	Mk-6		40

PART IV

BATTLE DAMAGE

- (a) Ship None
- (b) Aircraft:

COMBAT				OPERATIONAL .			
T	F9F	F4U AD	TOTAL	F9F	F4U	AD	TOTAL.
Lost:	0	2 3	5	1	0	1	2
Damaged:	o	4 9	13	0	1	0	1

(c) Damage Inflicted on Enemy:

DECLASSIFIAN

TARGET		DAMAGED	DESTROYED
Buildings Railroad Trestle		84	338
Highway bridge	•	2	0
Towns occupied by	enemy forces (50 to	-	. •
100 percent destr Ammunition Dump	coyed)	0	7
Fuel Dumps		-0	2
Supply Dumps Tanks	•	0	4
Armored Cars		1	0
Trucks		17	21
Locomotives		4	2
Railroad Cars Oxcarts		5 h	1 42
Jeep Type vehicles		3	2
Horses	→	0	130
Oxen		0	3
Field Pieces Mortar positions (s	(Longo d)	0	
Command Posts	Trenced		4
Artillery Observati Machine Gun Nests (on Post silenced)	1	0

Attacked over 152 troop emplacements. It is estimated that 8000 to 10,000 casualties were inflicted. 1824 bodies were counted from the air. In the one check with ground forces in the accuracy of these estimates a count of 250 from the air was checked by a ground count to have actually been 2000 killed. This occured in a rayine near Hagaru-Ri during a Chosin Reservoir fight.

PART V

PERSONNEL PERFORMANCE AND CONDITION

1. Medical:

- (a) Casualties:
 - (1) One killed in action.
 - (2) Two missing in action.
- (b) Injuries:
 - (1) Aircraft
 - (2) Major 3 (3) Minor 29

1. Medical: (Continued)

(e) Surgery:

DECLASSIFIED

- (1) Ship's Company 18 (2) From Other Ships 0
- (3) Major Surgery
 (4) Minor Surgery
- (d) Average number of patients treated daily 75- Out patients.

Average number of patients on sick list daily - 14

- (e) First Aid Lectures to various divisions 4
- (f) General Health of the crew. Training Films and Lectures.
 - (1) General health of the crew has been good.
 - (2) Training films were shown and lectures were given on the problems of survival to the entire ship's company and air group during the period covered by this report.
 - (3) During the month 17 veneral disease training films and lectures were given to remainder of ship's company and air group personnel who were unable to attend lectures during November, as well as all new personnel upon reporting aboard during this month.

2. Dental:

During the month of December, the Dental Department staffed by two Dental Officers and four dental technicians completed 725 restorations, surgically extracted 15 teeth, performed 66 uncomplicated extractions and rendered 150 treatments at 594 individual sittings. 3,072 restorations were completed since 5 September 1950.

PART VI

SPECIAL COMMENTS

(a) Aircraft Composition of Air Group;

(1) During the period 10 October to 25 December 1950, the U.S.S. LEYTE was in the Korean Theater for a total of 76 days. During this period, air operations were conducted on 49 days and a total of

(a) Asseraft composition of air Group (Continued):

(1) Continued):
3369 sorties were flown by CVG-3 aircraft.

DECLASSIFIED

(2) The aircraft complement by type assigned to the ship was as follows:

16 F9F - 34 F4U - 4 F4U5P - 4 F4U5N - 18 AD3 - 4 AD3W - 4 AD3Q

(3) The following figures represent the average availability of Air Group Three's aircraft by type over the period of 49 days of air operations.

NUMBER	PERCENTAGE
11.7 F9F's 33.7 F4U's 20.4 AD's	77.7% 85.1% 82.1%

Average availability for all Air Group Three aircraft was 81.6%. This is considered to be a very high continuing standard of aircraft maintenance at sea. The major difficulty was the non-receipt of spare parts. If AOG aircraft were discounted availability would have been about 87%.

(4) The number of total sorties, and sorties flown over Korea are indicated by type, in the following figures:

,	SORTIE	<u>ş</u>	<u>s</u>	ORTIES	OVER KORI	ΞA
•	821 1,586	F 9 F F4U		20' 1,29	,	
TY	962 AL: 3,369	AD		750) AD	
101	وورور بشه		TOTAL:	2,248	3	

(5) Ordnance expenditures by offensive sorties over Korea were as follows:

	AMMO .EXPENDED		AV. ROUNDS EXPENDED
F%F F4U AD TOTALS:	31,698 610,600 91:575	153 473 122	646 12,461 1,869
TOTALS:	733,873	748	14,976

	TOTAL ROCKETS	TOTAL TINE THE	(FONS)	TANKS)
F9F F4U	5 306	000	000	000
AD	5,394 2,518	000 20	116.58 519.26	496 402
TOTALS:	7,912	20	635.84	898

- (6) Although comparative statistics are not available on the ordnance loads carried by the PHILIPPINE SEA or the VALLEY FORCE, it is considered that plane complement of the LEYTE Air Group provided greater inherent bomb and rocket load carrying capacity for the effective destruction of enemy troops, equipment, shelters, and supply lines.
 - (a) Jet planes assigned to the ship, although two less than a normal 18 plane squadron, were sufficient to meet scheduled demands of CAP, TARCAP, Sweeps and condition 10 aircraft. It is recommended that the complement of jet aircraft for all CV-9 class carriers be limited to one squadron of 18 jet fighters. This is considered the most effective complement of aircraft for any operations forseeable in the near future because it allows for the maximum number of attack type aircraft and yet provides an adequate jet defense for the Task Force and strike groups.
 - (b) The statistics given herein and above seem to confirm the above principle and recommendation. The comparative attack capacity of various possible Air Group compositions follow:

•	LEYTE *	PHIL SEA*	CARRIER X
F9F	16	24	18
F4U	40	34	
$\mathbf{A}\mathbf{D}$	<u>26 </u>	24	52
	82	82	70

Bomb Load:

(a) No Rockets 58% Rockets on Jets 168,000 Books	512 Rockets 148,000# Bombs	576 Rockets 192,000# Bombs
(b) Rockets on Jets 680 Rockets 168,000# Bombs	656 Rockets 148,000# Bombs	684 Rockets 192,000# Bombs

^{*} Approximate present operations complement

^{. &}quot;X" Hypothetical Air Group considering no F4U's available.

(b) Aviation Ordnance:

DECLASSIFIED

(1) In operations on board this vessel involving the tag of shipboard ordnance handling equipment the following difficulties have been encountered: (See USS IEYTE serial 1513 of 1 December 1950 to ComAirPac):

(A) MK 4 Bomb and Torpedo Truck:

(1) The MK 4 MOD O Bomb and Torpedo Truck is used to move air craft ammunition from bomb elevators to the respective reg dy service ammunition lockers. In these operations it has been found that the brake mechanism of the MK4 MOD O Bomb and Torpedo Truck is highly unsatisfactory. The "life" of the brake cable is very short, and when the brake cable is broken, passage of the loaded truck over barrier cables sets the brake. To release the brake it is then necessary to unload the truck, turn the brake acuating drum by hand until the wheels are unlocked, reload the truck, and contil ue passage to ready service locker. The current use of Davis type jet barriers present additional problems in move ment of this truck over the flight deck, These difficutties could be eliminated by the use of larger wheels on the truck to raise the carriage of the truck higher from the deck. A stronger manner of securing the brake acuating cable to the brake acuating drum, plus the use of larger cable would eliminate the problem of breakdown in the brake mechanism.

(B) Bomb Skids:

(1) All bomb skids should be equipped with the chain type securing strap rather than the web straps now generally in us. The web straps have proven to be unsatisfactory due to the deterioration of the straps because of exposure to elements and wear from normal usage.

(C) Bomb Skid Adapter:

- (1) The MK 3 Bomb Skid Adapter currently used to transport HVAR's is not satisfactory due to messons indicated below:
 - (a) Racks for stowage of HVAR's on adapters are constructed of metal which bends.
 - (b) HVAR's are not sufficiently well secured in adapter, and at times during transport over flight deck the HVAR's are tumbled on to the flight deck.

- (c) To remedy condition in regards to adapter racks, bending, the use of stronger metal is recommended.
- (d) To remedy condition in regards to insecurity of HVAR's in adapter it is recommended that a metal securing strap, shaped to contour of HVAR motor be manufactured, and hinged to inboard of adapter. A flange should be added to the HVAL rack and this flange should be slotted, to accommodate a securing pin, The securing pin can be manufactured out of unthreaded metal stock and have a wing type nut, backed by spring pressure to effect locking of metal strap to flange of HVAR adapter stowage rack.

(D) Bomb Skid Stowage:

- (1) At present no allocated stowage space on flight deck exists for the stowage of bomb skids. As a result of this condition bomb skids are stowed where space permits. The need if for empty bomb skids on the flight deck is justified by virtue of the need for jettisoning of bombs and rockets being ever present when engaged in combat operations. If stowage racks were constructed, a greater number of bomb skids could be stored on the flight deck without necessity of utilizing actual deck space. Having bomb skids stowed in a definiate location will greatly expedite skid procurement by all ordnance personnel when need for jettisoning a deck load of aircraft ammunition becomes necessary.
- (2) The present parachute flare suspension band has proven to be unsatisfactory for use on MK 55 MOD 0 Bomb Racks and it is necessary to manufacture metal suspension bands, as well as "cut down" to proper size, excess suspension bands from the 100# Water Filled Bombs. It is recommended that a new type suspension band for all parachute flares be manufactured, using the type used on 100# Water Filled Bombs as a model.
- (3) The T-2 type of gun heater employed on the 20 MM aircraft gun has a service "life" of from 4 to 6 hours. The short "life" is accredited to the fact that the heating element of the T-2 gun heater is too gragile. "Rough" arrested landings by aircraft causes a breakdown of the heating element.
- (4) The firing pin in the T-31 20 MM aircraft gun is subject to what is considered excessive breakage. Due to this high breakage it is often necessary to change firing pins after approximately 50 rounds of ammunition have been fired.

(D) Bomb Skid Stowage: (Continued):

DECLASSIFIED

- (5) The electrical (cannon) connection "pins" of the MK 55 MOD 0 Bomb Rack are extremely brittle and therefore are subject to excessive breakage in normal service. The electrical connection "pins" on the MK 55 MOD 0 Bomb Rack which suffer the greatest mortality are in the bomb release circuit of the MK 55 MOD 0 Bomb Rack. Due to operational requirements it is frequently necessary to install and remove the MK 55 MOD 0 Bomb Rack from the aircraft, and it is during the installation and removal operations that the "pins" prevent the completion of the electrical bombing circuit and result. in "hung" tombs being returned to the carrier.
- (6) The MK 5 MOD 5 Rocket Launcher presently in use on the F4U4 Model aircraft is not constructed well enough to start tain the weight of the HVAR. Numerous cases of MK 5 MOD 4 rocket launchers breaking, when planes are taxing forward, or are towed into the "spot" have occured, and the rockets have dropped on deck as a result. It is recommended that a bracing method be devised for the rocket launcher post (front and rear). Due to method of securing MK 5 MOD 4 rocket launcher mounting plate to wing, and employment of the rocket launcher to carry HVAR's the "rivets" of the "skin" on the wing of the aircraft "work" loose and separate from the ribs of the wing.
- (7) Cold weather and high winds across flight deck especially during pre-dawn hours, constitutes a great problem in loading of aircraft wing stations with ordnance material.
- (8) Loading of the wing stations of the AD type aircraft with ordnance material weighing more than the HVAR, is a major problem of ordnance loading. Development of a means to load the wing stations, safely and rapidly, to maximum capacity on the AD type aircraft, is urgently needed.

(c) Communications:

Two tactical circuits are not considered sufficient for even the tactical needs of the Task Force. (See LEYTE serial 098 of 21 November 1950.) Current usage of either or both for administrative traffic adds an excessive burden to an already overloaded system. It is recommended that administrative traffic be removed from the tactical circuits.

(d) Logistics:

DECLASSIFIED

(1) <u>DATE</u>	RECEIVED	AMOUNT
5 December	r Fuel Oil	344,652 gallons
		125,000 gallons
8 December	r Fuel Oil	205 tons 35,296 gallons
	Aviation Gasoline	63,156 gallons
	Ammunition	75 tons
ll December	Fuel Oil	117,411 gallons
	Aviation Gasoline	68,194 gallons
	Ammunition •	120 tons
	Fresh, frozen, dry provisions	99 toms
15 December	Fuel Oil	322,036 gallons
	Aviation Gasoline	151,008 gallons
	Ammunition	38 tons
•	Gresh, frozen, dry provisions	37 tons
- 19 December	Fuel Oil	224,154 gallons
,	Aviation Gasoline	44,987 gallons
	Ammunition	84 tons
22 December	Fuel Oil	
300	Aviation Gasoline	126,789 gallons
•	Ammunition	70,770 gallons
	**************************************	75 Tons

- (2) The U.S.S. LEYTE's rearming operations 8 December 1950 from the U.S.S. MT KATMAI (AE-16) was conducted during darkness with the aid of cargo lights. Despite the night operations the rearming rate achieved was 80 short tons per hour. This excellent rate of transfer reflected a high degree of organization and coordination on both the supplying and the receiving ships.
- (3.) On 15 December 1950 the U.S.S. LEYTE (CV-32) rearmed from the U.S.S. PARICUTIN (AE-18) under difficult conditions caused by heavy seas. However, a transfer rate of 55.9 short tons per hour was maintained as a result of excellent performance of personnel on both the receiving and supplying ships.

(e) Hull Damage from Jettisoned HVAR:

(1) On 17 December 1950 at 1344I a HVAR rocket that had fallen off a landing airplane was jettisoned from the flight deck level, frame number 126, starboard side. The rocket was seen to travel aft and towards the ship and then finally exploded deep in the water.

(e) Hull Damage from Jettisoned HVAR (Continued):

DECLASSIFIED

- (2) Further investigation proved beyond a doubt that the rocket hit the rolling chock between frames 130 and 131 causing damage to the "G" and "H" straps in fuel oil tank B-79-F. The riveted lap seam joining "G" and "H" straps was badly distorted causing all rivets. to leak in this area. Rivets attaching the rolling chock to the turn of the bilge also leaked. The next transverse bulkhead (T.B. #1) was split vertically a distance of 3" 6". Evidence of concussion was evident by bent gussets, slightly warped frame (frame no. 130) and destorted vertical seperator bulkheads in fuel oil tank #79. The damaged area of the "G" and "H" straps consisted of a large dished in area. Vertical height 5 feet and horizontal 4 feet in the turn of the bilge.
- (3) This damage was repaired temporarily by welding rivets in the lap seam of "G" and "H" straps and building a small steel cofferdam in the bottom of B-79-F in the damaged area. The split in the bulkhead of T. B. #1 was cut out and a plate patch welded in its place.

T. U, SISSON

Copy to:

NO (Advance) (2) USS VALLEY FORGE USS PHILIPPINE SEA USS FRINCETON USS SICILY COMCARDIV5 COMAIRLANT COMAIRPAC